



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

IV. *A Collection of the Observations of the Lunar Eclipse, Sept. 8, 1736. which were sent to the Royal Society.*

1. *An Observation of an Eclipse of the Moon, made in Fleetstreet, London, by Mr. Geo. Graham, F. R. S. and by Mr. James Short of Edinburgh, F. R. S. on Sept. 8, 1736.*

Sept. 8, 1736. Apparent Time.

	H.	M.	S.
Beginning of the Eclipse . . .	12	58	0
The Shadow touched <i>Grimaldi</i> .	13	0	0
touched <i>Kepler</i> . . .		9	30
touched <i>Copernicus</i> .		17	10
touched the East Side { of <i>Tycho</i> . . . }		25	5
touched the East Side { Side of <i>Plato</i> . }		34	30
touched the East Side { of <i>Manilius</i> . }		36	40
touched the East Side { of <i>Mare Crisium</i> }		56	20
Beginning of total Darkness . . .	14	3	45

The Observation made with a $5\frac{1}{2}$ Inches reflecting Telescope, magnifying about 38 times.

2. Eclipsis Lunæ totalis observata Londini in Covent-Garden, Sept. 8, 1736. S.V. Telescopio & Ped. à J. Bevis, M.D.

Temp. Appar:

- | | | | |
|----|----|----|--|
| 12 | 53 | 25 | Penumbra inficit Limbum Euro-boreum. Aëre Sereno. |
| | 54 | 25 | Quæ nunc satis conspicua. Seren. |
| | 56 | 50 | Umbra vera, quantum judico, Limbum attingit. Seren. |
| | 57 | 30 | Umbra Grimaldum tangit. Seren. |
| 13 | 00 | 25 | Tegit Grimaldum. Satis Seren. |
| | 07 | 23 | Intrat Mare Humorum, per tenues Nubes. Densissimæ deinde Nubes. |
| | 28 | 39 | Mare Vaporum tangit umbra. Seren. |
| | 31 | 19 | Lunæ pars obscurata subrutili quasi coloris cernitur. Valde Seren. |
| | 36 | 53 | Limes Umbrae Manilium bissecat, & mare Serenitatis contingit. Valde Seren. |
| | 38 | 48 | Mare Tranquillitatis tangit. Seren. |
| | 47 | 21 | Tegitur Serenitatis Mare. Seren. |
| | 55 | 26 | Tangit Mare Crisum. Seren. |
| | 58 | 05 | Mare fœcunditatis obtegitur. Seren. |
| 14 | 02 | 25 | Immersio Lunæ totalis.
Densissimæ Nubes superveniunt, nec Luna amplius conspicitur, priusquam |
| 16 | 43 | 00 | Mare Tranquillitatis, uti videtur, penitus reiectum---per hiatum Nubium. |
| | 43 | 30 | Iterum Nubes. |
| 17 | 03 | 22 | Discedente nube, Luna ab omni fuligine libera videtur. |

Hore

Horologium per Altitudines Solis æquales Tempori vero aptabatur, ejusque Consensus cum Chronometro Dni. G. Graham, mediante optimo Horologio portatili notabatur.

3. *Momenta Eclipseos Lunæ totalis, A. MDCXXXVI.*
die IX St. V. xx St. N. Septembris, mane Vitembergæ Saxonum observata, à J. F. Weidlcro,
R. S. S. &c.

Hor. Min. Sec.

- | | | |
|-------|------|---|
| 1 36 | ○ | Penumbra instar fumi vel nebulæ partem Lunæ orientalem subit. |
| 1 50 | ○ | Initium. |
| 1 50 | 30 | Umbra appellit ad Grimaldum. |
| 1 52 | ○ | ———— attingit Galileum. |
| 2 0 | ○ | ———— attingit Keplerum. |
| 2 1 | 30 | ———— totum tegit Keplerum. |
| 2 7 | ○ | Lunaris disci portio altius in umbram immersa clarior apparet illa, quæ propior erat margini umbræ. |
| 2 8 | ○ | Umbra appellit ad Copernicum. |
| 10 50 | ———— | tegit totum Copernicum. |
| 16 10 | ———— | ad Tychonem. |
| 20 | ○ | Lunæ pars dimidia obscurata. |
| 25 | ○ | Umbra ad mare serenitatis pertingit. |
| 29 10 | ———— | ad Menelaum. |
| 36 00 | ○ | Tegitur totum mare serenitatis.
Luna hoc tempore per umbram ru-
bet instar prunæ. |
| 45 30 | ○ | Umbra ad mare Crisium appellit. |

Hoc

Hoc tempore circa mare Crisium umbræ margo introrsum curvatur. Et in tota Eclipsi umbræ peripheria aspera, variisque prominentiis distincta, & in extrema regione veluti tenui fumo circumdata certinatur.

- 2 50 00 Totum mare Crisium obumbratum.
- 53 00 Obscuratio totalis.
- Jam circiter tertia lunaris disci pars versus orientem obscurior appetet parte occidentali.
- 3 43 00 Umbra in medio obscurior, circa extrema dilutior videtur.
- 4 8 00 Luna nubibus involvitur.
- 4 44 00 Emercio Lunæ ex umbra.
- 45 00 Umbra relinquit Grimaldum.
Postea Lunam nubes absconderunt, ex quibus licet subinde iterum emergeret, nebula tamen vel nubes rarior ita eam obumbrat, ut maculæ distingui non possint. Tandem nubibus densioribus tota Luna occultatur.
- Observatio Telescopio octo pedes Parisinos longo facta fuit.

4. An Observation of the Eclipse of the Moon, Sept. 8, 1736. made in Hudson's-Bay, by Capt. Christopher Middleton, F. R. S.

Being in *Hudson's-Bay*, in the Latitude 55 Degrees 34 Minutes, North, and on the Meridian of the *North-Bear-Island*, which lies 30 Miles to the Westward of *Charlton*, I observ'd a total Eclipse of the *Moon* on Sept. 8, 1736. The Weather was very clear, but the Motion of the Sea render'd my Telescope useless, and I miss'd the Beginning.

H. M.

The total Immersion of the <i>Moon's</i>	8	22	{ by my
Body into the Shadow			{ Watch.
The Emerision	10	8	by ditto.
The End	11	16	by ditto.

In order to rectify my Watch, and be certain of the true Time, I took three several Altitudes next Morning, and one in the Afternoon, by Mr. *Hadley's* and Mr. *Smith's* Quadrants; which (having made proper Allowances for the Refraction of the Atmosphere and the Height that I stood above the Surface of the Sea) were as follows:

Deg. Min.	Deg. Min.
First Altitude 23 00 { Hence the true	8 49 —
	Time is
Latitude 55 45 { The Time by	8 28
	my Watch
	<hr/>
Watch too slow	0 21 —
	<hr/>
	Second

[97]

Deg. Min.		Deg. Min.
Second Altitude 25	48	The true Time therefore is
Latitude	55 45	The Time by my Watch

Watch too slow o 21 —

Third Altitude 26	44	The true Time therefore is
Latitude	55 45	The Time by my Watch

Watch too slow o 21 —

The Fourth Altitude taken in the Afternoon the same Day	21 29	Hence the true Time is
Latitude	55 33	The Time by my Watch

Watch too slow o 21 +

If 21 Minutes therefore be added to the times above-mention'd, for the Error of the Watch, we shall have the true times of the several Observations on the Meridian of the *North-Bear-Island*, as follows, *viz.*

N

The

H. M.


The total Immersion of the Moon's Body into the Shadow	8	43
The Emerion	10	29
The End	11	37

This same Eclipse was observed *Sept. 8, 1736.* by Dr. *Bevis* at *London*, and he made the true Time of the total Immersion of the Moon's Body into the Shadow, 14 Hours, 2 Minutes, 25 Seconds; consequently the Difference of Longitude between *London* and *North-Bear-Island* in *Hudson's-Bay*, is 5 Hours, 19 Minutes, 25 Seconds, or 79 Degrees, 51 Minutes.

IV. *Eclipsis Solaris observata Londini, Sept. 23. 1736. à J. Bevis, M. D.*

Temp. App. P. M.

4 12 35 Limbo Solis boreo filum parallelum PP decurrente, Limbus occidentalis attingit filum horarium HH.



12 42 Maculaparvula prope Limbum boreum ad filum obliquum primum 1. pervenit.

13 01 Macula ad filum horarium HH.

13 20 Macula ad secundum filum obliquum 2.

14 45